

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) A wide bandwidth Raman amplifier comprising:

at least one multiwavelength wideband laser pump having a single excitation laser source
and means for producing a wideband pump radiation signal having from said pump source a
plurality of different radiation wavelengths, and

means for adjustable independent power control of each of the plurality of different
radiation wavelengths ~~of said wideband pump radiation signal produced by said laser pump.~~

2. (Previously Presented) An amplifier according to claim 1, further comprising a
plurality of multiwavelength wideband laser pumps, each multiwavelength wideband laser pump
producing a wideband pump radiation signal having a plurality of different radiation
wavelengths.

3. (Previously Presented) A wide bandwidth Raman amplifier comprising:
a multiwavelength wideband laser pump producing a wideband pump radiation signal
having a plurality of different radiation wavelengths, and
means for adjustable independent power control of each of the plurality of different
radiation wavelengths of said wideband pump radiation signal produced by said multiwavelength

wideband laser pump, wherein the means for independent power control comprises one or more reflectors.

4. (Previously Presented) An amplifier according to claim 3 wherein each reflector produces optical feedback to the multiwavelength wideband laser pump at a respective different one of said plurality of wavelengths.

5. (Previously Presented) An amplifier according to claim 1, wherein the means for power control of each radiation wavelength comprises at least one variable optical attenuator.

6. (Previously Presented) An amplifier according to claim 3 wherein there is a separate variable attenuator for each reflector.

7. (Previously Presented) An amplifier according to claim 1 wherein at least some radiation of more than one wavelength is coupled to the signal to be amplified.

8. (Previously Presented) An amplifier according to claim 5, further comprising control means for controlling and/or adjusting the attenuation of the at least one variable optical attenuator.

9. (Currently Amended) ~~An amplifier according to claim 1~~ A wide bandwidth Raman amplifier comprising:

at least one multiwavelength wideband laser pump having a single excitation laser source
and producing from said pump source a plurality of different radiation wavelengths, and
means for adjustable independent power control of each of the plurality of different
radiation wavelengths, wherein the means for independent power control comprises at least one
optical switch providing either substantially no attenuation or substantially 100% attenuation
depending on the setting of the switch.

10. (Previously Presented) An amplifier according to claim 9, further comprising control
means for selectively controlling the at least one switch to change the overall characteristics of
the amplifier.

11. (Currently Amended) A method of providing a wide bandwidth Raman amplifier,
wherein the method comprises producing, from a ~~single multiwavelength wideband laser~~
~~pump~~excitation source, a wideband pump radiation signal by providing means for independently
adjustableadjusting optical feedback to the laser pump at a plurality of different wavelengths ~~of~~
~~said wideband pump radiation signal produced by said single laser pump.~~

12. (Currently Amended) A wide bandwidth Raman amplifier producing a wideband
pump radiation signal having a plurality of different wavelength components from a ~~single~~
~~multiwavelength wideband laser~~ pumpexcitation source, said amplifier comprising means for
independently adjusting the magnitudes of a plurality of different wavelength components of said
wideband pump radiation signal to alter the amplifier gain profile during amplifier operation.

13. (Previously Presented) A wide bandwidth Raman amplifier including only one laser pump source of pump radiation, and means for producing from the pump source a wideband pump radiation signal having a plurality of different wavelength components, said means for producing including:

means including at least one reflector for adjustable independent power control of plural of said different radiation wavelengths wherein each reflector produces optical feedback to the pump source at a different one of said wavelengths.

Claims 14-17. (Canceled)